

**ATTACHMENT 1**

**LIST OF ABBREVIATIONS AND ACRONYMS**

# List of Abbreviations and Acronyms

2,4-D	2,4-dichlorophenoxyacetic acid	AUF	area use factor	CESAS	Corps of Engineers South Atlantic Savannah
2,4,5-T	2,4,5-trichlorophenoxyacetic acid	AWARE	Associated Water and Air Resources Engineers, Inc.	CF	conversion factor
2,4,5-TP	2,4,5-trichlorophenoxypropionic acid	AWQC	ambient water quality criteria	CFC	chlorofluorocarbon
3D	3D International Environmental Group	AWWSB	Anniston Water Works and Sewer Board	CFDP	Center for Domestic Preparedness
AB	ambient blank	‘B’	Analyte detected in laboratory or field blank at concentration greater than the reporting limit (and greater than zero)	CFR	Code of Federal Regulations
AbB3	Anniston gravelly clay loam, 2 to 6 percent slopes, severely eroded	BCF	blank correction factor; bioconcentration factor	CG	phosgene (carbonyl chloride)
AbC3	Anniston gravelly clay loam, 6 to 10 percent slopes, severely eroded	BCT	BRAC Cleanup Team	CGI	combustible gas indicator
AbD3	Anniston and Allen gravelly clay loams, 10 to 15 percent slopes, eroded	BERA	baseline ecological risk assessment	ch	inorganic clays of high plasticity
Abs	skin absorption	BEHP	bis(2-ethylhexyl)phthalate	CHPPM	U.S. Army Center for Health Promotion and Preventive Medicine
ABS	dermal absorption factor	BFB	bromofluorobenzene	CIH	Certified Industrial Hygienist
AC	hydrogen cyanide	BFE	base flood elevation	CK	cyanogen chloride
ACAD	AutoCadd	BG	Bacillus globigii	cl	inorganic clays of low to medium plasticity
AcB2	Anniston and Allen gravelly loams, 2 to 6 percent slopes, eroded	BGR	Bains Gap Road	Cl	chlorinated
AcC2	Anniston and Allen gravelly loams, 6 to 10 percent slopes, eroded	bgs	below ground surface	CLP	Contract Laboratory Program
AcD2	Anniston and Allen gravelly loams, 10 to 15 percent slopes, eroded	BHC	hexachlorocyclohexane	cm	centimeter
AcE2	Anniston and Allen gravelly loams, 15 to 25 percent slopes, eroded	BHHRA	baseline human health risk assessment	CN	chloroacetophenone
ACGIH	American Conference of Governmental Industrial Hygienists	BIRTC	Branch Immaterial Replacement Training Center	CNB	chloroacetophenone, benzene, and carbon tetrachloride
AdE	Anniston and Allen stony loam, 10 to 25 percent slope	bkg	background	CNS	chloroacetophenone, chloropicrin, and chloroform
ADEM	Alabama Department of Environmental Management	bls	below land surface	CO	carbon monoxide
ADPH	Alabama Department of Public Health	BOD	biological oxygen demand	CO <sub>2</sub>	carbon dioxide
AEC	U.S. Army Environmental Center	Bp	soil-to-plant biotransfer factors	Co-60	cobalt-60
AEDA	ammunition, explosives, and other dangerous articles	BRAC	Base Realignment and Closure	CoA	Code of Alabama
AEL	airborne exposure limit	Braun	Braun Intertec Corporation	COC	chain of custody; chemical of concern
AET	adverse effect threshold	BSAF	biota-to-sediment accumulation factors	COE	Corps of Engineers
AF	soil-to-skin adherence factor	BSC	background screening criterion	Con	skin or eye contact
AHA	ammunition holding area	BTAG	Biological Technical Assistance Group	COPC	chemical of potential concern
AL	Alabama	BTEX	benzene, toluene, ethyl benzene, and xylenes	COPEC	constituent of potential ecological concern
ALARNG	Alabama Army National Guard	BTOC	below top of casing	CPSS	chemicals present in site samples
ALAD	δ-aminolevulinic acid dehydratase	BTV	background threshold value	CQCSM	Contract Quality Control System Manager
ALDOT	Alabama Department of Transportation	BW	biological warfare; body weight	CRDL	contract-required detection limit
amb.	amber	BZ	breathing zone; 3-quinuclidinyl benzilate	CRL	certified reporting limit
amsl	above mean sea level	C	ceiling limit value	CRQL	contract-required quantitation limit
ANAD	Anniston Army Depot	Ca	carcinogen	CRZ	contamination reduction zone
AOC	area of concern	CaCO <sub>3</sub>	calcium carbonate	Cs-137	cesium-137
AP	armor piercing	CAA	Clean Air Act	CS	ortho-chlorobenzylidene-malononitrile
APEC	areas of potential ecological concern	CAB	chemical warfare agent breakdown products	CSEM	conceptual site exposure model
APT	armor-piercing tracer	CACM	Chemical Agent Contaminated Media	CSM	conceptual site model
AR	analysis request	CAMU	corrective action management unit	CT	central tendency
ARAR	applicable or relevant and appropriate requirement	CBR	chemical, biological, and radiological	ctr.	container
AREE	area requiring environmental evaluation	CCAL	continuing calibration	CWA	chemical warfare agent; Clean Water Act
AS/SVE	air sparging/soil vapor extraction	CCB	continuing calibration blank	CWM	chemical warfare material; clear, wide mouth
ASP	Ammunition Supply Point	CCV	continuing calibration verification	CX	dichloroformoxime
ASR	Archives Search Report	CD	compact disc	‘D’	duplicate; dilution
AST	aboveground storage tank	CDTF	Chemical Defense Training Facility	D&I	detection and identification
ASTM	American Society for Testing and Materials	CEHNC	U.S. Army Engineering and Support Center, Huntsville	DAAMS	depot area agent monitoring station
AT	averaging time	CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	DAF	dilution-attenuation factor
ATSDR	Agency for Toxic Substances and Disease Registry	CERFA	Community Environmental Response Facilitation Act	DANC	decontamination agent, non-corrosive
ATV	all-terrain vehicle			°C	degrees Celsius

**List of Abbreviations and Acronyms (Continued)**

°F	degrees Fahrenheit	EPIC	Environmental Photographic Interpretation Center	g/m <sup>3</sup>	gram per cubic meter
DCA	dichloroethane	EPRI	Electrical Power Research Institute	G-856	Geometrics, Inc. G-856 magnetometer
DCE	dichloroethene	ER	equipment rinsate	G-858G	Geometrics, Inc. G-858G magnetic gradiometer
DDD	dichlorodiphenyldichloroethane	ERA	ecological risk assessment	GAF	gastrointestinal absorption factor
DDE	dichlorodiphenyldichloroethene	ER-L	effects range-low	gal	gallon
DDT	dichlorodiphenyltrichloroethane	ER-M	effects range-medium	gal/min	gallons per minute
DEH	Directorate of Engineering and Housing	ESE	Environmental Science and Engineering, Inc.	GB	sarin (isopropyl methylphosphonofluoridate)
DEP	depositional soil	ESMP	Endangered Species Management Plan	gc	clay gravels; gravel-sand-clay mixtures
DFTPP	decafluorotriphenylphosphine	ESN	Environmental Services Network, Inc.	GC	gas chromatograph
DI	deionized	ESV	ecological screening value	GCL	geosynthetic clay liner
DID	data item description	ET	exposure time	GC/MS	gas chromatograph/mass spectrometer
DIMP	di-isopropylmethylphosphonate	EU	exposure unit	GCR	geosynthetic clay liner
DM	dry matter; adamsite	Exp.	explosives	GFAA	graphite furnace atomic absorption
DMBA	dimethylbenz(a)anthracene	E-W	east to west	GIS	Geographic Information System
DMMP	dimethylmethylphosphonate	EZ	exclusion zone	gm	silty gravels; gravel-sand-silt mixtures
DO	dissolved oxygen	FAR	Federal Acquisition Regulations	gp	poorly graded gravels; gravel-sand mixtures
DOD	U.S. Department of Defense	FB	field blank	gpm	gallons per minute
DOJ	U.S. Department of Justice	FD	field duplicate	GPR	ground-penetrating radar
DOT	U.S. Department of Transportation	FDC	Former Decontamination Complex	GPS	global positioning system
DP	direct-push	FDA	U.S. Food and Drug Administration	GRA	general response action
DPDO	Defense Property Disposal Office	Fe <sup>+3</sup>	ferric iron	GS	ground scar
DPT	direct-push technology	Fe <sup>+2</sup>	ferrous iron	GSA	General Services Administration; Geologic Survey of Alabama
DQO	data quality objective	FedEx	Federal Express, Inc.	GSBP	Ground Scar Boiler Plant
DRMO	Defense Reutilization and Marketing Office	FEMA	Federal Emergency Management Agency	GSSI	Geophysical Survey Systems, Inc.
DRO	diesel range organics	FFCA	Federal Facilities Compliance Act	GST	ground stain
DS	deep (subsurface) soil	FFE	field flame expedient	GW	groundwater
DS2	Decontamination Solution Number 2	FFS	focused feasibility study	gw	well-graded gravels; gravel-sand mixtures
DSERTS	Defense Site Environmental Restoration Tracking System	FI	fraction of exposure	H&S	health and safety
DWEL	drinking water equivalent level	Fil	filtered	HA	hand auger
E&E	Ecology and Environment, Inc.	FIt	filtered	HC	mixture of hexachloroethane, aluminum powder, and zinc oxide (smoke producer)
EB	equipment blank	FMDC	Fort McClellan Development Commission	HCl	hydrochloric acid
EBS	environmental baseline survey	FML	flexible membrane liner	HD	distilled mustard (bis-[dichloroethyl]sulfide)
EC <sub>50</sub>	effects concentration for 50 percent of a population	f <sub>oc</sub>	fraction organic carbon	HDPE	high-density polyethylene
ECBC	Edgewood Chemical Biological Center	FOMRA	Former Ordnance Motor Repair Area	HE	high explosive
ED	exposure duration	FOST	Finding of Suitability to Transfer	HEAST	Health Effects Assessment Summary Tables
EDD	electronic data deliverable	Foster Wheeler	Foster Wheeler Environmental Corporation	Herb.	herbicides
EF	exposure frequency	FR	Federal Register	HHRA	human health risk assessment
EDQL	ecological data quality level	Frtn	fraction	HI	hazard index
EE/CA	engineering evaluation and cost analysis	FS	field split; feasibility study	H <sub>2</sub> O <sub>2</sub>	hydrogen peroxide
Elev.	elevation	FSP	field sampling plan	HPLC	high-performance liquid chromatography
EM	electromagnetic	ft	feet	HNO <sub>3</sub>	nitric acid
EMI	Environmental Management Inc.	ft/day	feet per day	HQ	hazard quotient
EM31	Geonics Limited EM31 Terrain Conductivity Meter	ft/ft	feet per foot	HQ <sub>screen</sub>	screening-level hazard quotient
EM61	Geonics Limited EM61 High-Resolution Metal Detector	ft/yr	feet per year	hr	hour
EOD	explosive ordnance disposal	FTA	Fire Training Area	HRC	hydrogen releasing compound
EODT	explosive ordnance disposal team	FTMC	Fort McClellan	HSA	hollow-stem auger
EPA	U.S. Environmental Protection Agency	FTRRA	FTMC Reuse & Redevelopment Authority	HTRW	hazardous, toxic, and radioactive waste
EPC	exposure point concentration	g	gram	'I'	out of control, data rejected due to low recovery

**List of Abbreviations and Acronyms** (Continued)

IASPOW	Impact Area South of POW Training Facility
IATA	International Air Transport Authority
ICAL	initial calibration
ICB	initial calibration blank
ICP	inductively-coupled plasma
ICRP	International Commission on Radiological Protection
ICS	interference check sample
ID	inside diameter
IDL	instrument detection limit
IDLH	immediately dangerous to life or health
IDM	investigative-derived media
IDW	investigation-derived waste
IEUBK	Integrated Exposure Uptake Biokinetic
IF	ingestion factor; inhalation factor
ILCR	incremental lifetime cancer risk
IMPA	isopropylmethyl phosphonic acid
IMR	Iron Mountain Road
in.	inch
Ing	ingestion
Inh	inhalation
IP	ionization potential
IPS	International Pipe Standard
IR	ingestion rate
IRDMIS	Installation Restoration Data Management Information System
IRIS	Integrated Risk Information Service
IRP	Installation Restoration Program
IS	internal standard
ISCP	Installation Spill Contingency Plan
IT	IT Corporation
ITEMS	IT Environmental Management System™
‘J’	estimated concentration
JeB2	Jefferson gravelly fine sandy loam, 2 to 6 percent slopes, eroded
JeC2	Jefferson gravelly fine sandy loam, 6 to 10 percent slopes, eroded
JfB	Jefferson stony fine sandy loam, 0 to 10 percent slopes have strong slopes
JPA	Joint Powers Authority
K	conductivity
K <sub>d</sub>	soil-water distribution coefficient
kg	kilogram
KeV	kilo electron volt
K <sub>oc</sub>	organic carbon partitioning coefficient
K <sub>ow</sub>	octonal-water partition coefficient
KMnO <sub>4</sub>	potassium permanganate
L	liter; Lewisite (dichloro-[2-chloroethyl]sulfide)
L/kg/day	liters per kilogram per day
l	liter
LAW	light anti-tank weapon
lb	pound
LBP	lead-based paint

LC	liquid chromatography
LCS	laboratory control sample
LC <sub>50</sub>	lethal concentration for 50 percent population tested
LD <sub>50</sub>	lethal dose for 50 percent population tested
LEL	lower explosive limit
LOAEL	lowest-observed-advserse-effects-level
LRA	land redevelopment authority
LT	less than the certified reporting limit
LUC	land-use control
LUCAP	land-use control assurance plan
LUCIP	land-use control implementation plan
max	maximum
MB	method blank
MCL	maximum contaminant level
MCLG	maximum contaminant level goal
MCPA	4-chloro-2-methylphenoxyacetic acid
MCPP	2-(2-methyl-4-chlorophenoxy)propionic acid
MCS	media cleanup standard
MD	matrix duplicate
MDC	maximum detected concentration
MDCC	maximum detected constituent concentration
MDL	method detection limit
mg	milligrams
mg/kg	milligrams per kilogram
mg/kg/day	milligram per kilogram per day
mg/kgbw/day	milligrams per kilogram of body weight per day
mg/L	milligrams per liter
mg/m <sup>3</sup>	milligrams per cubic meter
mh	inorganic silts, micaceous or diatomaceous fine, sandy or silt soils
MHz	megahertz
µg/g	micrograms per gram
µg/kg	micrograms per kilogram
µg/L	micrograms per liter
µmhos/cm	micromhos per centimeter
MeV	mega electron volt
min	minimum
MINICAMS	miniature continuous air monitoring system
ml	inorganic silts and very fine sands
mL	milliliter
mm	millimeter
MM	mounded material
MMBtu/hr	million Btu per hour
MNA	monitored natural attenuation
MnO <sub>4</sub> -	permanganate ion
MOA	Memorandum of Agreement
MOGAS	motor vehicle gasoline
MOUT	Military Operations in Urban Terrain
MP	Military Police

MPA	methyl phosphonic acid
MPM	most probable munition
MQL	method quantitation limit
MR	molasses residue
MRL	method reporting limit
MS	matrix spike
mS/cm	millisiemens per centimeter
mS/m	millisiemens per meter
MSD	matrix spike duplicate
MTBE	methyl tertiary butyl ether
msl	mean sea level
MtD3	Montevallo shaly, silty clay loam, 10 to 40 percent slopes , severely eroded
mV	millivolts
MW	monitoring well
MWI&MP	Monitoring Well Installation and Management Plan
Na	sodium
NA	not applicable; not available
NAD	North American Datum
NAD83	North American Datum of 1983
NaMnO <sub>4</sub>	sodium permanganate
NAVD88	North American Vertical Datum of 1988
NAS	National Academy of Sciences
NCEA	National Center for Environmental Assessment
NCP	National Contingency Plan
NCRP	National Council on Radiation Protection and Measurements
ND	not detected
NE	no evidence; northeast
ne	not evaluated
NEW	net explosive weight
NFA	No Further Action
NG	National Guard
NGP	National Guardsperson
ng/L	nanograms per liter
NGVD	National Geodetic Vertical Datum
Ni	nickel
NIC	notice of intended change
NIOSH	National Institute for Occupational Safety and Health
NIST	National Institute of Standards and Technology
NLM	National Library of Medicine
NO <sub>3</sub> <sup>-</sup>	nitrate
NPDES	National Pollutant Discharge Elimination System
NPW	net present worth
No.	number
NOAA	National Oceanic and Atmospheric Administration
NOAEL	no-observed-adverse-effects-level
NR	not requested; not recorded; no risk
NRC	National Research Council
NRCC	National Research Council of Canada

**List of Abbreviations and Acronyms (Continued)**

NRHP	National Register of Historic Places	PFT	portable flamethrower	RI	remedial investigation
NRT	near real time	PG	professional geologist	RL	reporting limit
ns	nanosecond	PID	photoionization detector	RME	reasonable maximum exposure
N-S	north to south	PkA	Philo and Stendal soils local alluvium, 0 to 2 percent slopes	ROD	Record of Decision
NS	not surveyed	PM	project manager	RPD	relative percent difference
NSA	New South Associates, Inc.	POC	point of contact	RR	Range residue
nT	nanotesla	POL	petroleum, oils, and lubricants	RRF	relative response factor
nT/m	nanoteslas per meter	POTW	publicly owned treatment works	RSD	relative standard deviation
NTU	nephelometric turbidity unit	POW	prisoner of war	RTC	Recruiting Training Center
nv	not validated	PP	peristaltic pump; Proposed Plan	RTECS	Registry of Toxic Effects of Chemical Substances
O <sub>2</sub>	oxygen	ppb	parts per billion	RTK	real-time kinematic
O <sub>3</sub>	ozone	ppbv	parts per billion by volume	RWIMR	Ranges West of Iron Mountain Road
O&G	oil and grease	PPE	personal protective equipment	SA	exposed skin surface area
O&M	operation and maintenance	ppm	parts per million	SAD	South Atlantic Division
OB/OD	open burning/open detonation	PPMP	Print Plant Motor Pool	SAE	Society of Automotive Engineers
OD	outside diameter	ppt	parts per thousand	SAIC	Science Applications International Corporation
OE	ordnance and explosives	PR	potential risk	SAP	installation-wide sampling and analysis plan
oh	organic clays of medium to high plasticity	PRA	preliminary risk assessment	SARA	Superfund Amendments and Reauthorization Act
OH•	hydroxyl radical	PRG	preliminary remediation goal	sc	clayey sands; sand-clay mixtures
ol	organic silts and organic silty clays of low plasticity	PS	chloropicrin	Sch.	schedule
OP	organophosphorus	PSSC	potential site-specific chemical	SCM	site conceptual model
ORC	Oxygen Releasing Compound	pt	peat or other highly organic silts	SD	sediment
ORP	oxidation-reduction potential	PVC	polyvinyl chloride	SDG	sample delivery group
OSHA	Occupational Safety and Health Administration	QA	quality assurance	SDWA	Safe Drinking Water Act
OSWER	Office of Solid Waste and Emergency Response	QA/QC	quality assurance/quality control	SDZ	safe distance zone; surface danger zone
OVM-PID/FID	organic vapor meter-photoionization detector/flame ionization detector	QAM	quality assurance manual	SEMS	Southern Environmental Management & Specialties, Inc.
OWS	oil/water separator	QAO	quality assurance officer	SF	cancer slope factor
oz	ounce	QAP	installation-wide quality assurance plan	SFSP	site-specific field sampling plan
PA	preliminary assessment	QC	quality control	SGF	standard grade fuels
PAH	polynuclear aromatic hydrocarbon	QST	QST Environmental, Inc.	Shaw	Shaw Environmental, Inc.
PARCCS	precision, accuracy, representativeness, comparability, completeness, and sensitivity	qty	quantity	SHP	installation-wide safety and health plan
Parsons	Parsons Engineering Science, Inc.	Qual	qualifier	SI	site investigation
Pb	lead	R	rejected data; resample; retardation factor	SINA	Special Interest Natural Area
PBMS	performance-based measurement system	R&A	relevant and appropriate	SL	standing liquid
PC	permeability coefficient	RA	remedial action	SLERA	screening-level ecological risk assessment
PCB	polychlorinated biphenyl	RAO	remedial action objective	sm	silty sands; sand-silt mixtures
PCDD	polychlorinated dibenzo-p-dioxins	RBC	risk-based concentration; red blood cell	SM	Serratia marcescens
PCDF	polychlorinated dibenzofurans	RCRA	Resource Conservation and Recovery Act	SMDP	Scientific Management Decision Point
PCE	perchloroethene	RCWM	Recovered Chemical Warfare Material	s/n	signal-to-noise ratio
PCP	pentachlorophenol	RD	remedial design	SO <sub>4</sub> <sup>-2</sup>	sulfate
PDS	Personnel Decontamination Station	RDX	cyclotrimethylenetrinitramine	SOD	soil oxidant demand
PEF	particulate emission factor	ReB3	Rarden silty clay loams	SOP	standard operating procedure
PEL	permissible exposure limit	REG	regular field sample	SOPQAM	U.S. EPA's <i>Standard Operating Procedure/Quality Assurance Manual</i>
PERA	preliminary ecological risk assessment	REL	recommended exposure limit	sp	poorly graded sands; gravelly sands
PES	potential explosive site	RFA	request for analysis	SP	submersible pump
Pest.	pesticides	RfC	reference concentration	SPCC	system performance calibration compound
PETN	pentaerythritoltetranitrate	RfD	reference dose	SPCS	State Plane Coordinate System
		RGO	remedial goal option	SPM	sample planning module

**List of Abbreviations and Acronyms (Continued)**

---

SQRT	screening quick reference tables	TOC	top of casing; total organic carbon	WWII	World War II
Sr-90	strontium-90	TPH	total petroleum hydrocarbons	XRF	x-ray fluorescence
SRA	streamlined human health risk assessment	TR	target cancer risk	yd <sup>3</sup>	cubic yards
SRM	standard reference material	TRADOC	U.S. Army Training and Doctrine Command		
Ss	stony rough land, sandstone series	TRPH	total recoverable petroleum hydrocarbons		
SS	surface soil	TSCA	Toxic Substances Control Act		
SSC	site-specific chemical	TSDF	treatment, storage, and disposal facility		
SSHO	site safety and health officer	TWA	time-weighted average		
SSHP	site-specific safety and health plan	UCL	upper confidence limit		
SSL	soil screening level	UCR	upper certified range		
SSSL	site-specific screening level	‘U’	not detected above reporting limit		
SSSSL	site-specific soil screening level	UIC	underground injection control		
STB	supertropical bleach	UF	uncertainty factor		
STC	source-term concentration	USACE	U.S. Army Corps of Engineers		
STD	standard deviation	USACHPPM	U.S. Army Center for Health Promotion and Preventive Medicine		
STEL	short-term exposure limit	USAEC	U.S. Army Environmental Center		
STL	Severn-Trent Laboratories	USAEHA	U.S. Army Environmental Hygiene Agency		
STOLS	Surface Towed Ordnance Locator System®	USACMLS	U.S. Army Chemical School		
Std. units	standard units	USAMPS	U.S. Army Military Police School		
SU	standard unit	USATCES	U.S. Army Technical Center for Explosive Safety		
SUXOS	senior UXO supervisor	USATEU	U.S. Army Technical Escort Unit		
SVOC	semivolatile organic compound	USATHAMA	U.S. Army Toxic and Hazardous Material Agency		
SW	surface water	USC	United States Code		
SW-846	U.S. EPA’s <i>Test Methods for Evaluating Solid Waste: Physical/Chemical Methods</i>	USCS	Unified Soil Classification System		
SWMU	solid waste management unit	USDA	U.S. Department of Agriculture		
SWPP	storm water pollution prevention plan	USEPA	U.S. Environmental Protection Agency		
SZ	support zone	USFWS	U.S. Fish and Wildlife Service		
TAL	target analyte list	USGS	U.S. Geological Survey		
TAT	turn around time	UST	underground storage tank		
TB	trip blank	UTL	upper tolerance level; upper tolerance limit		
TBC	to be considered	UXO	unexploded ordnance		
TCA	trichloroethane	UXOQCS	UXO Quality Control Supervisor		
TCDD	2,3,7,8-tetrachlorodibenzo-p-dioxin	UXOSO	UXO safety officer		
TCDF	tetrachlorodibenzofurans	V	vanadium		
TCE	trichloroethene	VC	vinyl chloride		
TCL	target compound list	VOA	volatile organic analyte		
TCLP	toxicity characteristic leaching procedure	VOC	volatile organic compound		
TDEC	Tennessee Department of Environment and Conservation	VOH	volatile organic hydrocarbon		
TDGCL	thiodiglycol	VQlfr	validation qualifier		
TDGCLA	thiodiglycol chloroacetic acid	VQual	validation qualifier		
TEA	triethylaluminum	VX	nerve agent (O-ethyl-S-[diisopropylaminoethyl]-methylphosphonothiolate)		
Tetryl	trinitrophenylmethylnitramine	WAC	Women’s Army Corps		
TERC	Total Environmental Restoration Contract	Weston	Roy F. Weston, Inc.		
THI	target hazard index	WP	installation-wide work plan		
TIC	tentatively identified compound	WRS	Wilcoxon rank sum		
TLV	threshold limit value	WS	watershed		
TN	Tennessee	WSA	Watershed Screening Assessment		
TNT	trinitrotoluene	WWI	World War I		